



E.D.A. International Corp. / MBH International Sales, Inc.



# Cactus Mat

MANUFACTURING COMPANY

KITCHEN MATS • ENTRANCE MATS • ACCESSORIES



**Export Representatives / Master Distributors:**

E.D.A. International Corp. / MBH International Sales, Inc.  
4907 SW 75 Ave.  
Miami, FL 33155 USA

Tel.: 305-669-1894 / Fax: 305-669-1797

e-mail : [sales@edainternational.com](mailto:sales@edainternational.com) / [sales@mbhny.com](mailto:sales@mbhny.com)

Quality and Integrity since 1930 Foodservice Catalog #76EDAMBH

## **FOOD SERVICE** **PAGE**

### Cookline

<b>Red Cloud</b>	<b>37</b>
<b>Black Cloud</b>	<b>38</b>
<b>VIP Deluxe Red</b>	<b>39</b>
<b>VIP Guardian</b>	<b>41</b>

### Kitchen

<b>VIP Tuffdek</b>	<b>40</b>
<b>VIP Topdek Jr</b>	<b>43</b>
<b>VIP Prima</b>	<b>44</b>
<b>Ni-Rib</b>	<b>45</b>

### Walk-ins/Runners

<b>Ni-Rib</b>	<b>45</b>
<b>Slip-Guard</b>	<b>47</b>

### Bars/Service Areas

<b>VIP Deluxe</b>	<b>39</b>
<b>VIP Tuffdek</b>	<b>40</b>
<b>VIP Topdek Jr</b>	<b>43</b>

### Cutting Boards

<b>Plasti-Cut</b>	<b>48</b>
<b>Rubber-Cut</b>	<b>48</b>

### Accessories

<b>Portamat Rack</b>	<b>47</b>
<b>Flex-Tile</b>	<b>49</b>
<b>Case Liner</b>	<b>49</b>
<b>Hoses/Nozzles</b>	<b>50</b>

# Location and recommendation floor plan choosing the best mat for the right application

Choosing the right mat for the right application will make the difference in Safety, Comfort, Drainage & Floor Protection





## PRODUCT RECOMMENDATIONS (1 – 14)

- Best** — VIP Deluxe Red, VIP Red Cloud, VIP Black Cloud, VIP Floormate
- 1 Better** — VIP Guardian Red, VIP Guardian Black, VIP Duralok Red
- Good** — VIP Tuffdek Red, VIP Topdek SR Red, VIP Topdek JR Red
- Best** — Deluxe Red/Black, Guardian Red/Black, Red Cloud, Black Cloud
- 2 Better** — Tuffdek Red/Black, Reverse-A-Mat
- Good** — Topdek SR Red/Black, Topdek JR Red/Black
- Best** — Guardian Red/Black, Ridge Scraper
- 3 Better** — Bubble EZE
- Good** — Revers-A-Mat, Ni-Rib
- Best** — Tuffdek, Duralok
- 4 Better** — Topdek SR, Guardian
- Good** — Topdek JR., Ni-Rib
- Best** — Guardian, Honeycomb
- 5 Better** — Topdek SR, Topdek JR
- Good** — Prima Black, Ni Rib
- Best** — Slip Guard
- 6 Better** — Ni-Rib
- Good** — Revers-A-Mat
- Best** — Guardian, Black Cloud, Red Cloud
- 7 Better** — Tuffdek, Revers-A-Mat
- Good** — Topdek JR, Topdek SR
- Best** — Black Cloud, Deluxe Black, Duralok Black
- 8 Better** — Guardian Black, Tuffdek Black, VIP Lite Black, Floormate Black
- Good** — Topdek SR, Topdek JR, Prima Black
- Best** — Guardian
- 9 Better** — Revers-A-Mat, Ni-Rib, Ridge Scraper
- Good** — Topdek SR, Topdek JR, Bubble EZE
- Best** — Black Cloud, Cushion Comfort
- 10 Better** — Tredlite
- Good** — Bubble EZE
- Best** — Sani-Mate
- 11 Better** — Finger Top, Ridge Scraper
- Good** — Bubble EZE
- Best** — Camino Real, Marquis, Ridge Scraper, Tuf Plush, Cocoa Brush
- 12 Better** — Water Well 1, Water Well 11, Machine Washable, Chevron, Digi Print
- Good** — Catalina, Needle Rib, Finger Top, Bubble EZE
- 13** 50' x 5/8" Hot Water Hose, 25' x 5/8" Hot Water Hose, Nozzles, Portamat Rack, Flex Tiles, Case Liners
- 14** Plasti-Cut, Rubber-Cut

# KITCHEN / INDUSTRIAL

TYPE 5000

VIP  
RED CLOUD

5-Year Warranty  
against breakdown  
from grease\*

KITCHENS

COOKLINES

BARs

PREP AREAS

WAITRESS  
PICK-UP

ASSEMBLY LINES

BEHIND  
COUNTERS

## 5000 VIP RED CLOUD – Ultimate Anti-Fatigue Solution

- ❖ Light Weight, Easy to Clean
- ❖ Tapered Safety Edge
- ❖ Drainage Holes
- ❖ Grease Proof
- ❖ Anti-Slip Textured Surface
- ❖ Non-Absorbent "Closed-Cell" Nitrile Rubber
- ❖ Extremely Comfortable

5000 VIP REDCLOUD: 3/4" thick

Size	Estimated Weight
3' x 5'	14 lbs

\*Prorated and mats must be maintained according to factory recommendations.  
NOTE: Not for use in wet areas. IMPORTANT: See cleaning requirements, Pg. 52.

Insist on the  
Best when  
Performance  
and Quality  
Matter.

# KITCHEN / INDUSTRIAL

TYPE 2200

VIP  
BLACK CLOUD

5-Year Warranty  
against breakdown  
from grease\*

CASHIER STATIONS  
KITCHENS  
LABORATORIES  
BARS  
PREP AREAS  
WAITRESS PICK-UP  
ASSEMBLY LINES  
BEHIND COUNTERS

SOLID TOP OR WITH DRAIN HOLES

## 2200 VIP BLACK CLOUD – Ultimate Anti-Fatigue Solution


- ❖ Light Weight, Easy to Clean
- ❖ Tapered Safety Edge
- ❖ Drainage Holes or Solid Top
- ❖ Grease Proof
- ❖ Anti-Slip Textured Surface
- ❖ Non-Absorbent "Closed-Cell" Nitrile Rubber
- ❖ Extremely Comfortable

### 2200 VIP BLACK CLOUD: 3/4" thick

Product No.	Style	Size	Estimated Weight
2200-35	Solid Top	3' x 5'	14 lbs.
2200-35H	Drainage Holes	3' x 5'	14 lbs.
2200-23	Solid Top	2' x 3'	6 lbs.

\*Prorated and mats must be maintained according to factory recommendations.  
NOTE: Not for use in wet areas. IMPORTANT: See cleaning requirements, Pg. 52.

Black color does  
not show dirt like  
standard red mats.  
Ideal for areas  
exposed to  
public view.



# KITCHEN / INDUSTRIAL

TYPE 2520

VIP DELUXE

VIP DELUXE RED has a 5-Year Warranty against breakdown from grease\*

VIP DELUXE BLACK has a 1-Year Warranty for general use in bars, and non-grease service areas\*

## RECOMMENDED USAGE

VIP DELUXE - BLACK  
BARS  
NON-GREASE  
SERVICE AREAS

VIP DELUXE - RED  
COOK LINES  
FRY STATIONS  
GREASY  
INDUSTRIAL AREAS

## 2520 VIP DELUXE – Heavy Duty Rubber Anti-Fatigue & Anti-Slip

- ❖ 7/8" Overall Thickness
- ❖ Excellent Drainage
- ❖ Grease Proof/General Purpose Versions
- ❖ Anti-Slip Provides Safe Footing
- ❖ The Industry's "Work-Horse"

### 2520 VIP DELUXE / 2521 VIP LITE

Product No.	Version	Size	Thickness	Estimated Weight
2520	VIP DELUXE	58 1/2" x 39"	7/8"	40 lbs
2520	VIP DELUXE	29" x 39"	7/8"	21 lbs

\*Prorated and mats must be maintained according to factory recommendations.

**IMPORTANT:** See Cleaning Requirements, Pg 52.

# KITCHEN / INDUSTRIAL

TYPE 3525

VIP TUFFDEK

VIP TUFFDEK RED  
2-Year Warranty  
against breakdown  
from light grease\*

VIP TUFFDEK BLACK  
General Purpose – For  
use in bars, service areas  
and any non-grease  
kitchen / industrial area.

RESORTS  
WAITRESS PICK-UP  
PREP AREAS  
ASSEMBLY LINES



## 3525 VIP TUFFDEK – Heavy Duty Rubber Anti-Fatigue & Anti-Slip

- ❖ Improved Productivity
- ❖ Grease Resistant or General Purpose
- ❖ 3/4" Thick
- ❖ The Lighter "Heavy Duty Mat"
- ❖ Excellent Drainage

### 3525 VIP TUFFDEK: 3/4" thick

Size	Estimated Wt
3' x 5'	33 lbs
3' x 3'	21 lbs
3' x 2'	14 lbs

\*Prorated and mats must be maintained according to factory recommendations. **IMPORTANT:** See Cleaning Requirements, Pg 52.




# KITCHEN / INDUSTRIAL

TYPE 2540

VIP GUARDIAN

**2-Year Warranty  
against breakdown  
from grease\***

LIGHT DUTY  
KITCHENS  
BARS  
PREP AREAS  
WAITRESS PICK-UP  
ASSEMBLY LINES  
BEHIND COUNTERS



Grease Proof Black



Grease Proof Red

## 2540 VIP GUARDIAN – High Quality, Light Weight Grease Proof Mat

- ❖ Non-Absorbent Closed-Cell Rubber
- ❖ 100% Nitrile Grease Proof Formula
- ❖ Excellent Drainage for Wet Areas
- ❖ Reversible for Extended Life
- ❖ Low Profile, Only 1/4" Thick
- ❖ Anti-Slip & Anti-Fatigue

### 2540 VIP GUARDIAN: 1/4" thick

Size**	Estimated Weight
3' x 5'	18 lbs
3' x 10'	36 lbs
3' x 15'	55 lbs

\* Prorated and mats must be maintained according to factory recommendations.

\*\* Sizes longer than 5 ft are seamed. Note: Not recommended for wheeled equipment traffic.

IMPORTANT: See Cleaning Requirements, Pg. 52.

**Both Red and  
Black Versions are  
Grease Proof.**



# KITCHEN / INDUSTRIAL

TYPE 2530  
VIP TOPDEK  
JUNIOR

RED - Grease Resistant  
See warranty applications.

Warranty: 2530 -

\* 1 year light grease

\* Warranted against breakdown from grease.

The Most  
Popular Mats  
in the Industry!

DISHWASH  
BARS  
PREP AREAS  
WAITRESS PICK-UP  
ASSEMBLY LINES  
BEHIND COUNTERS  
WORK STATIONS

BLACK - General Purpose  
For use in bars, service areas and any non-grease kitchen / industrial area.

## VIP TOPDEK – Molded Bevel Edge Rubber Mats


- ❖ 1/2" Overall Thick Rubber
- ❖ Light Grease Resistant and General Purpose Versions
- ❖ Excellent Drainage
- ❖ Anti-Slip and Anti-Fatigue
- ❖ Heavier Senior or Light Weight Junior Versions

### 2530 VIP TOPDEK JUNIOR: 1/2" thick

Type	Size	Estimated Weight
2530 JUNIOR	3'x 5'	20 lbs
2530 JUNIOR	3'x 9'-10"	40 lbs
2530 JUNIOR	3'x 14'-8"	60 lbs
2530 JUNIOR	3'x 19'-6"	80 lbs

Note: Sections larger than 5 ft. long are fused and will show a seam.

\* Prorated and mats must be maintained according to factory recommendations.  
IMPORTANT: See Cleaning Requirements, Pg. 52.



# KITCHEN / INDUSTRIAL


TYPE 2523

VIP PRIMA

**No Connectors  
to Lose!**

## 2523 VIP PRIMA – Connecting Rubber Mat System

- ❖ 1/2" Overall Thick Rubber
- ❖ Anti-Slip and Anti-Fatigue
- ❖ Excellent Drainage
- ❖ Light Weight for Easy Handling
- ❖ Light Grease Resistant and General Purpose Versions
- ❖ Snap Together to Easily Accommodate Any Area, Even 90 Degree Turns



2523 VIP PRIMA: 1/2" thick

Size	Estimated Weight
3' x 5'	30 lbs

3x3 and 3x5 mats do not interlock to each other.  
3x5 interlocks on the 3f ends but only to other 3x5 mats.

**BLACK - General Purpose**  
For use in bars, service areas and any non-grease kitchen / industrial area.


**RED - Grease Resistant**  
For use in light grease applications.

- LIGHT DUTY KITCHENS
- BARS
- PREP AREAS
- WAITRESS PICK-UP
- ASSEMBLY LINES
- BEHIND COUNTERS

# KITCHEN / INDUSTRIAL

TYPE 1631

## NI-RIB RUNNER



- WALK-INS
- TRANSITION AREAS
- PREP AREAS
- WAITRESS PICK-UP
- SHOWERS
- LOCKER ROOMS
- BEHIND COUNTERS


### 1631 NI-RIB – Versatile Nitrile Rubber Safety Runner

- ❖ 1/4" Overall Thick Rubber
- ❖ Reversible - Use Rib Side Up or Knob Side Up
- ❖ Grease Resistant for Areas of Minimal Exposure to Grease
- ❖ Light weight, Easy to Handle
- ❖ Anti-Slip "V" Rib surface Enhances Safety
- ❖ Available in Solid and Perforated Versions for Areas Requiring Drainage

1631 NI-RIB: 1/4" thick

Type	Size	Style	Estimated Weight
1631	36" x 60 ft	Solid	280 lbs
1631	48" x 60 ft	Solid	384 lbs
1631V	36" x 60 ft	Perforated	262 lbs
1631V	48" x 60 ft	Perforated	369 lbs

Also available in Special Cuts.  
Note: Runners may be fused in sections.





## KITCHEN / INDUSTRIAL

TYPE 1435

SLIP-GARD

Brown

### 1435 SLIP-GARD – Mineral Coated Anti-Slip Runner

- ❖ Crushed Garnet Surface
- ❖ Polyurethane Backing Remains Flexible
- ❖ Extra Heavy Duty
- ❖ Grease Resistant
- ❖ Promotes Safety

1435 SLIP-GARD: 1/8" thick

Size	Estimated Weight
3' x 5'	15 lbs

Also available  
in Special Cuts.

RAMPS

WET AREAS

WASHING  
AREAS

FREEZERS



Knock down version  
ships UPS and FedEx!

## KITCHEN / INDUSTRIAL

TYPE 6477

PORTAMAT  
RACK

Speeds up handling,  
cleaning, and drying  
of kitchen, bar and  
industrial mats.

### 6477 PORTAMAT TRANSPORTER and WASH RACK

- ❖ Transport Your Soiled Mats with Ease
- ❖ Holds Up to 10 Large Mats (With Holes)
- ❖ 500 Lbs Capacity
- ❖ Zinc Plated
- ❖ 16 Gauge Cold Rolled 1" Tubular Steel
- ❖ 5" Swivel Casters
- ❖ Saves Time and Labor

6477 PORTAMAT TRANSPORTER

Type No.	Style	Estimated Weight	Shipping Dimensions
6477-KD	Knock Down	51 lbs	44"L X 29"W X 5"H

Fully Assembled  
or Knock Down

## CUTTING BOARDS

TYPE 501, 502, 503  
RUBBER-CUT

RESTAURANT  
GRADE QUALITY  
BAKERIES  
SANDWICH STATIONS  
STEAM TABLES  
PREP AREAS

## CUTTING BOARDS

TYPE 501P, 502P, 503P  
PLASTI-CUT

Cactus Mat  
Rubber Cutting Boards are  
**A CUT ABOVE**

Tested & approved by Cactus Mat and used in Champion Kitchens worldwide!

### CUTTING BOARDS – Rubber

- ❖ All rubber cutting board
- ❖ Soft food grade rubber
- ❖ Texture provides flexibility
- ❖ Won't absorb liquids or odors
- ❖ Grease proof
- ❖ Tan high density – Nontoxic
- ❖ Preserves knife edge longer
- ❖ Can be resurfaced by sanding
- ❖ Reversible
- ❖ Dishwasher safe
- ❖ Lasts longer than wood or plastic
- ❖ Warp resistant

### CUTTING BOARDS – Polyethylene

- ❖ White High Density Thermoplastic
- ❖ Warp Resistant
- ❖ Textured to Reduce Knife Slippage
- ❖ Non Toxic and Non Absorbent

SIZE	Type	Estimated Wt	Type	Estimated Weight
12" x 18" x 1/2"	501P	4 lbs	501	6 lbs
15" x 20" x 1/2"	501P	6 lbs	501	8 lbs
18" x 24" x 1/2"	501P	8 lbs	501	12 lbs
48" x 96" x 1/2" (plastic only)	501P	79 lbs	N/A	—
Custom Sizes 1/2"	501P	2.5 lbs / sq ft	501	3.2 lbs / sq ft
12" x 18" x 3/4"	502P	6 lbs	502	8 lbs
15" x 20" x 3/4"	502P	8 lbs	502	11 lbs
18" x 24" x 3/4"	502P	12 lbs	502	17 lbs
48" x 96" x 3/4" (plastic only)	502P	119 lbs	N/A	—
Custom Sizes 3/4"	502P	3.8 lbs / sq ft	502	4.7 lbs / sq ft
12" x 18" x 1"	503P	8 lbs	503	11 lbs
15" x 20" x 1"	503P	10 lbs	503	15 lbs
18" x 24" x 1"	503P	15 lbs	503	22 lbs
48" x 96" x 1" (plastic only)	503P	158 lbs	N/A	—
Custom Sizes 1"	503P	5.0 lbs / sq ft	503	6.3 lbs / sq ft

Options: Please request quotation for custom shapes and cut-outs.

Note: None of the cutting boards are recommended for use with cleavers. See page 52 for care and cleaning.

## SHELF & CASE LINER

TYPE 2553  
FLEX-TILE



Color: Black

GLASSWARE  
DRYING

BENCH TOPS

SHELVES

COMPARTMENTS

STORE ROOMS

DRAWERS

### 2553 FLEX-TILE – Heavy Duty “Snap-Together” Liner Tile

- ❖ Durable PVC Vinyl
- ❖ Tiles “Snap-Together” to Accommodate Any Area
- ❖ Reduces Noise
- ❖ Excellent Drainage and Air Circulation
- ❖ Easily Cut to Size
- ❖ Textured Surface to Reduce Slippage

2553 FLEX-TILE: 9/16” thick

Size	Estimated Weight
12” x 12”	1 lbs

Light Duty



## SHELF & CASE LINER

TYPE 110  
CASE LINER  
TYPE 220  
CASE LINER

DRAWER LINER

DELI CASES

MEAT CASES

PRODUCE SHELVES

DISPLAY CASES

### 110/220 CASE LINER – Reduces Slippage in Display Cases

- ❖ Non-Slip Weave-Bubble Pattern
- ❖ Prevents Slipping on Trays
- ❖ Mildew Resistant
- ❖ Washable
- ❖ Easily Cut to Size
- ❖ Available In Light & Heavy Duty Versions
- ❖ Pvc Coated Polyester Scrim

#### CASE LINER

Type	Style	Size	Estimated Weight
110	Light Duty 6 oz / sq yd	36” x 60 ft	9 lbs
220	Heavy Duty 12 oz / sq yd	36” x 60 ft	15 lbs



# HOT WATER HOSE

TYPE 724547

TEMPRA FLEX  
3/4" HOSE

TYPE 724311

TEMPRA FLEX  
5/8" HOSE

## TEMPRA-FLEX HOT WATER HOSES

### HEAVY DUTY

- ❖ 3/4" Inside Diameter
- ❖ 200°F Hot Water Rating
- ❖ Color: Red

### REGULAR DUTY

- ❖ 5/8" Inside Diameter
- ❖ 200°F Hot Water Rating
- ❖ Color: Red

#### TEMPRA-FLEX HOSES

Model	Style	Size	Estimated Weight
724547	Heavy Duty	3/4" x 50 ft	12 lbs
724311	Regular Duty	5/8" x 50 ft	12 lbs
724546	Standard Duty	3/4" x 25 ft	8 lbs

Solid Brass

Coupling

Commercial

Grade.



## NOZZLE

TYPE 8155

NOZZLE

TYPE 572-NOZ

STANDARD

## HOSE NOZZLE – TWIST TYPE BRASS

- ❖ Solid Heavy Brass for Rugged Performance
- ❖ Double O-Ring
- ❖ Positive Shut-Off
- ❖ Rustproof
- ❖ Fine Mist to Full Stream
- ❖ Precision Machined

#### HOSE NOZZLES

Model	Estimated Weight
8155	.5 lbs
572-NOZ	.5 lbs

Reliable

Premiere

Brass.

## **CUTTING BOARDS: CARE AND CLEANING of PLASTIC AND RUBBER BOARDS**

Wash boards using all purpose detergent and warm water, then wipe with sanitizer diluted with water.

**DO NOT** – use dishwasher, use bleach or chlorine at full strength, use cleavers and axes, expose to high heat, or stand boards larger than 18" x 24" on edge. Allow a minimum of 1" space between heated surface and board.

Recommended support of "shelf" type boards:

½" thick boards – support every 6", ¾" boards every 12", and 1" boards every 18".

## **KITCHEN MATS: CARE & CLEANING INSTRUCTIONS**

Grease Resistant or Grease Proof matting subjected to grease and oil must be cleaned, both sides, on a regular basis (daily for busy commercial use), with **warm water**, a deck brush, and a mild detergent absent of bleach, chlorine or butyl.

For maximum performance, mats should be cleaned daily using a mild detergent, warm water and a deck brush to remove all grease. Mats not cared for properly (grease cleaned off daily), or use of mats not designed for greasy areas, may not provide the service you require and will not be covered by any warranty.

**Any mat that is worn, damaged, or presents a tripping hazard should be removed from service immediately.**

**DO NOT:** Fold Mats, use bleach or chlorine solutions, or wash in dishwasher. Do not use a degreaser. Do not steam clean (power wash) more than once per week. Do not place mats on floors treated with no rinse enzyme cleaner.

**STAINING:** Some vinyl floors may not be compatible with rubber mats and staining may occur. Buyer assumes responsibility should staining result.

Note: The above are general guidelines. Some of our products come with specific care and maintenance instructions which should be followed for maximum product life and service.

### **Export Representatives / Master Distributors:**

**E.D.A. International Corp. / MBH International Sales, Inc.**

**4907 SW 75 Ave.**

**Miami, FL 33155 USA**

**Tel.: 305-669-1894 / Fax: 305-669-1797**

**e-mail : [sales@edainternational.com](mailto:sales@edainternational.com) / [sales@mbhny.com](mailto:sales@mbhny.com)**